




LED TRAKE d.o.o.

Đorđa Stanojevića 9b, Belville, Novi Beograd


tel: +381 11 413 9000 • mob: +381 65 230 2244

office@ledtrake.rs • www.ledtrake.rs • instagram: ledtrake






Magnetic Track Lighting - Lighting Tracks - Connectors -
Housings - Adaptors Professional Solutions For Magnetic
Track Lighting & LED Track Lighting System Applications



LED MAGNETIC TRACK LIGHTING SYSTEMS





220V SMART MAGNETIC TRACK LIGHTING SYSTEM



Magnetic Track Lighting System


Magnetic track lighting is a new type of lighting with intelligent management system, it combines a variety of lighting fixtures that include floodlights, spotlights, wall washers. This system has a unique magnetic design, which makes the conductive strip on the track contact with the conductive strip on the lighting fixtures to supply power with firmly connection. In addition, this 'Magnetic track lighting system comes with a red clasp to reinforce the installation and ensure the fixtures no to be loosened. Lighting components can be combined with wireless and network systems to turn it on and Off, not noly that, it also can easily adjust the luminosity and CCT, help improve effieciency and intelligence for residential and commercial lighting applications and managements.






35mm

LED SMART MAGNETIC TRACK
LIGHTING SYSTEMS



Installation



1M High Voltage Four Wire Magnetic Track Bar

Model no	LTYZ35GD1
Power	Thickness: 2.6mm, Weight: 2kg/M
Finish	Black
Size	1000*40*76mm
Lens	GR OPTICS

2M High Voltage Four Wire Magnetic Track Bar

Model no	LTYZ35GD2
Power	Thickness: 2.6mm, Weight: 2kg/M
Finish	Black
Size	2000*39*76mm
Lens	GR OPTICS

3M High Voltage Four Wire Magnetic Track Bar

Model no	LTYZ35GD3
Power	Thickness: 2.6mm, Weight: 2kg/M
Finish	Black
Size	3000*39*76mm
Lens	GR OPTICS



Connector

Model No	LTYZ35-I
Size	L57*W30*H35mm
Finish	Black / White



Power Head

Model No	LTYZ35-D
Size	L45*W36*H57mm
Finish	Black / White




L Ceiling Joiner

Model No	LTYZ35-L
Size	L55*W55*H57mm
Finish	Black / White



Embedded Part

Model No	LTYZ35-M
Size	L47.5*W36.5*H69mm
Finish	Black / White




7 Wall Joiner

Model No	LTYZ35-7
Size	L55*W55*H57mm
Finish	Black



Hanging Part

Model No	LTYZ35-D
Size	/
Finish	Black / White





Grille Linear Magnetic Track light

Lamp: Osram
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 3000K/4000K/6000K

Model No	LTYZ3508S	Model No	LTYZ3516S	Model No	LTYZ3524S
Power	8W Dimmable	Power	16W Dimmable	Power	24W Dimmable
Finish	Black	Finish	Black	Finish	Black
Size	L138*W34*H58mm	Size	L270*W34*H58mm	Size	L402*W34*H58mm
Beam Angle	24°	Beam Angle	24°	Beam Angle	24°

Installation





Surface mounted Grille Magnetic Track light

Lamp: Osram
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 3000K/4000K/6000K

Model No	LTYZ3508Z	Model No	LTYZ3516Z
Power	8W Dimmable	Power	16W Dimmable
Finish	Black	Finish	Black
Size	L138*W34*H150mm	Size	L270*W34*H150mm
Beam Angle	15° 24° 36°	Beam Angle	15° 24° 36°

Installation





Flood Light Linear Magnetic Track light

Lamp: Osram
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 3000K-6000K

Model No	LTYZ3510F	Model No	LTYZ3520F	Model No	LTYZ3530F
Power	10W Dimmable	Power	20W Dimmable	Power	30W Dimmable
Finish	Black	Finish	Black	Finish	Black
Size	L138*W34*H58mm	Size	L270*W34*H58mm	Size	L402*W34*H58mm
Beam Angle	120°	Beam Angle	120°	Beam Angle	120°

Installation





Surface mounted Magnetic Spotlight

Lamp: CREE
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 3000K/4000K/6000K

Model No	LTYZ3512DG1	Model No	LTYZ3520DG1	Model No	LTYZ3530DG1
Power	12W Dimmable	Power	20W Dimmable	Power	30W Dimmable
Finish	Black	Finish	Black	Finish	Black
Size	Ø60*L100mm	Size	Ø60*L140mm	Size	Ø60*L170mm
Beam Angle	15° 24° 36°	Beam Angle	15° 24° 36°	Beam Angle	15° 24° 36°

Installation




Wall washer Magnetic Track light

Lamp: Osram
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 3000K/4000K/6000K

Model No	LTYZ3508P	Model No	LTYZ3516P	Model No	LTYZ3524P
Power	8W Dimmable	Power	16W Dimmable	Power	24W Dimmable
Finish	Black	Finish	Black	Finish	Black
Size	L138*W34*H58mm	Size	L270*W34*H58mm	Size	L402*W34*H58mm
Beam Angle	/	Beam Angle	/	Beam Angle	/

Installation






SH Series Magnetic Pendant light

Lamp:	CREE
Lens:	GR OPTICS
CRI:	Ra>90
Voltage:	90-265V
CCT:	3000K/4000K/6000K
Model No	LTYZ3512DX
Power	12W Dimmable
Finish	Black
Size	Ø60*L100mm
Beam Angle	15° 24° 36°

Installation



Pastable Smart Switch

Model No	LTYZ35-86WY
Size	L86*H86mm
Finish	White



86 type scenario setting switch

Model No	LTYZ35-86S
Size	L86*H86mm
Finish	White



12 circuits remote control

Model No	LTYZ35-12C
Size	H142*L42*W13mm
Finish	Black



Dual Channel Switch


Model No	LTYZ35-DG
Size	H60*L60*W15mm
Finish	White






25mm

LED SMART MAGNETIC TRACK
LIGHTING SYSTEMS



Installation



1M high voltage Four wire magnetic track bar

Model no	LTYZ25GD1
Power	Thickness: 2.5mm, Weight:1.2kg/M
Finish	Black/White
Size	L1000*W30.5*H56.5mm
Lens	GR OPTICS

1.5M high voltage Four wire magnetic track bar

Model no	LTYZ25GD1.5
Power	Thickness: 2.5mm, Weight:1.2kg/M
Finish	Black/White
Size	L1500*W30.5*H56.5mm
Lens	GR OPTICS

2M high voltage Four wire magnetic track bar

Model no	LTYZ25GD2
Power	Thickness: 2.5mm, Weight:2kg/M
Finish	Black/White
Size	L2000*W30.5*H56.5mm
Lens	GR OPTICS

3M high voltage Four wire magnetic track bar

Model no	LTYZ25GD3
Power	Thickness: 2.5mm, Weight:2kg/M
Finish	Black/White
Size	L3000*W30.5*H56.5mm
Lens	GR OPTICS



I connector

Model No	LTYZ25-I
Size	W25*L45*H20mm
Finish	Black / White



L Ceiling Joiner

Model No	LTYZ25-L
Size	W25*L45*H20*2 Total L20mm
Finish	Black / White



L connector

Model No	LTYZ25-LA
Size	W78*L78*H57 mm
Finish	Black / White



Power head

Model No	LTYZ25-X
Size	W25*L45*H20 mm Cable: 35cm
Finish	Black / White




Embedded Part

Model No	LTYZ25-M
Size	L47.5*W36.5*H69mm
Finish	Black / White



Hanging part

Model No	LTYZ35-D
Size	/
Finish	Black / White




Grille Linear Magnetic Track light

Lamp: Osram
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 2700K-6000K
Dimmable: 3 Color Changeable and Dimmable

Model No	LTYZ2509S	Model No	LTYZ2518S
Power	9W Dimmable	Power	18W Dimmable
Finish	Black / White	Finish	Black / White
Size	L220*W25*H41mm	Size	L410*W25*H41mm
Beam Angle	24°	Beam Angle	24°

Installation




Zoomable track light



Lamp: Bridgelux
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 2700K-6000K
Dimmable: 3 Color Changeable and Dimmable

Model No	LTYZ2507DG1
Power	7W Dimmable
Finish	Black
Size	Ø40*L90mm
Beam Angle	15° 24° 38°

Installation



Vari-focusing Track Light




Flood Light Linear Magnetic Track light

Lamp: Osram
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 2700K-6000K
Dimmable: 3 Color Changeable and Dimmable

Model No	LTYZ2509F	Model No	LTYZ2518F	Model No	LTYZ2527F
Power	9W Dimmable	Power	18W Dimmable	Power	27W Dimmable
Finish	Black / White	Finish	Black / White	Finish	Black / White
Size	L220*W25*H41mm	Size	L410*W25*H41mm	Size	L600*W25*H41mm
Beam Angle	120°	Beam Angle	120°	Beam Angle	120°

Installation




SH Series Magnetic Pendant light

Lamp: Bridgelux
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 2700K-6000K
Dimmable: 3 Color Changeable and Dimmable

Model No	LTYZ2512DX
Power	10W Dimmable
Finish	Black
Size	Ø40*L300mm
Beam Angle	24° (可定制 15° /36°)

Installation




Surface mounted Grille Magnetic Track light

Lamp: Osram
Lens: GR OPTICS
CRI: Ra>90
Voltage: 90-265V
CCT: 2700K-6000K
Dimmable: 3 Color Changeable and Dimmable

Model No	LTYZ2509Z
Power	9W Dimmable
Finish	Black / White
Size	L220*W25*H105mm
Beam Angle	24°

Installation



Pastable Smart Switch

Model No	LTYZ25-86WY
Size	L86*H86mm
Finish	White



12 circuits remote control

Model No	LTYZ25-12C
Size	H142*L42*W13mm
Finish	Black



86 type scenario setting switch

Model No	LTYZ25-86S
Size	L86*H86mm
Finish	White




Dual Channel Switch

Model No	LTYZ25-DG
Size	H60*L60*W15mm
Finish	White

Two-Wire Lighting Tracks

Model: Monofazna šina




COLOUR:

WH BK SL


LENGTH:

1000mm/1500mm/2000mm/3000mm

Model: Monofazna šina



Installation diagram




Product introduction


2-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruded PVC insulated housing. The track is supplied with a series of accessories which will successfully resolve almost all types of lighting installation requirements. And also has the facility for direct surface mounting through knockouts at 500mm spacing.

Two-Wire Track Connectors

Straight connector MINI




T- connector




L- connector




Flexible Connector



X- connector




Flexible Connector




Four-Wire Lighting Tracks

Model: Trofazna šina




LENGTH:
1000mm/1500mm/2000mm/3000mm

Model: Trofazna šina



Installation diagram




Product introduction


6-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruded PVC insulated housing. The track is supplied with a series of accessories which will successfully resolve almost all types of lighting installation requirements. And also has the facility for direct surface mounting through knockouts at 500mm spacing.

Four-Wire Track Connectors


Feeder-L




Feeder-R




End cap




Straight connector MINI




Straight connector




L- connector - L




L- connector - R




T- connector - L



T- connector - R



X- connector





LED Track Lighting Series



Model No: YZ6104

Power	30W
Size	Ø89*140mm
Beam Angle	24°
CCT	3000K/4000K/6000K
Input Voltage	165-240V
Finish	Black / White



Model No: YZ6105

Power	20W
Size	Ø65*140mm
Beam Angle	24°
CCT	3000K/4000K/6000K
Input Voltage	165-240V
Finish	Black / White



P30 Track Light Series



Model No: LT22-2203

Height of lamp body	: 195mm
Lamp diameter	: 115mm
Lamp holder length	: 140mm
Lamp arm length	: 115mm
Joint length	: 80mm
Joint width	: 27mm
Joint height	: 32mm



Model No: LT22-2202

Height of lamp body	: 195mm
Lamp diameter	: 115mm
Lamp holder length	: 140mm
Lamp arm length	: 115mm
Joint length	: 80mm
Joint width	: 27mm
Joint height	: 32mm



Model No: LT35-2207

Height of lamp body	: 180mm
Lamp diameter	: 110mm
Lamp holder length	: 143mm
Lamp arm length	: 113mm
Joint length	: 80mm
Joint width	: 27mm
Joint height	: 32mm



Model No: LT35-2206

Height of lamp body	: 180mm
Lamp diameter	: 110mm
Lamp holder length	: 143mm
Lamp arm length	: 113mm
Joint length	: 80mm
Joint width	: 27mm
Joint height	: 32mm



Surface Mounted Downlight Series



Model No: LTPN-100

Lamp surface size : Ø90mm
Height of lamp body : H85mm




Model No: LTPN-101

Lamp surface size : Ø90mm
Height of lamp body : H85mm



Model No: LTPN-110

Lamp surface size : L90*W90mm
Height of lamp body : H84mm




Model No: LTPN-111

Lamp surface size : L90*W90mm
Height of lamp body : H84mm



Model No: LTPN-120

Lamp surface size : L180*W98mm
Height of lamp body : H123mm




Model No: LTPN-120

Lamp surface size : L180*W98mm
Height of lamp body : H123mm



Model No: LTPN-130

Lamp surface size : L80*W155mm
Height of lamp body : H95mm



Model No: LTPN-131

Lamp surface size : L80*W155mm
Height of lamp body : H95mm

MR16 Downlight Series



Model No: YZ5628

Lamp surface size : L82*W82mm
Hole Size : Ø74mm
Height of lamp body : H25mm



Model No: HDL-5602

Lamp surface size : L90*W90mm
Hole Size : 80*80mm
Height of lamp body : H62mm



Model No: YZ5627

Lamp surface size : Ø80mm
Hole Size : Ø70mm
Height of lamp body : H30mm



Model No: YZ5631

Lamp surface size : Ø94mm
Hole Size : Ø78mm
Height of lamp body : H25mm



Model No: YZ5632

Lamp surface size : Ø82mm
Hole Size : Ø78mm
Height of lamp body : H55mm



Model No: YZ5611-T

Lamp surface size : Ø78mm
Hole Size : Ø65mm
Height of lamp body : H25mm



Model No: YZ5635

Lamp surface size : Ø94mm
Hole Size : Ø76mm
Height of lamp body : H28mm



Model No: YZ5636

Lamp surface size : Ø81mm
Hole Size : Ø77mm
Height of lamp body : H22mm



Model No: YZ5637

Lamp surface size : Ø88mm
Hole Size : Ø77mm
Height of lamp body : H25mm





LEDTRAKETM